

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Nitric acid 65%

Product Number : F103 Catalogue No. : F103

Brand : Fidar Shimi CAS-No. : 7697-37-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company : Fidar Shimi Ramand

Website : www.FidarShimiRamand.com

Telephone : 02632504569

E-mail address : Fidarshimiramand@gmail.com

1.4 Emergency telephone

Emergency Phone # : 09376573387

09125829128

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Oxidizing liquids, (Category 3) H272: May intensify fire; oxidizer.

Corrosive to Metals, (Category 1) H290: May be corrosive to metals.

Acute toxicity, (Category 3) H331: Toxic if inhaled.

Fidar Shimi Ramand Page 1 of 16



Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

) damage.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

P280

Signal Word Danger

Hazard Statements

H272 May intensify fire; oxidizer. H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

Fidar Shimi Ramand Page 2 of 16



P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard information (EU)

EUH071 Corrosive to the respiratory tract.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Classification	Concentration
nitric acid			
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-004-00-1 01-2119487297-23- XXXX	Ox. Liq. 3; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; >= 65 %: Ox. Liq. 3, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315; Acute inhalation toxicity(vapor): 2,65 mg/l	>= 65 - < 70 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Fidar Shimi Ramand Page3 of 16



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves.

If inhaled

After inhalation: fresh air. Call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrous gases, nitrogen oxides

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Fidar Shimi Ramand Page4 of 16



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers.

Tightly closed. Do not store near combustible materials. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Fidar Shimi Ramand Page 5 of 16



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0,7 mm Break through time: > 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm Break through time: > 120 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

acid-resistant protective clothing

Respiratory protection

Recommended Filter type: Filter E-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state liquid

Fidar Shimi Ramand Page6 of 16



b) Color colorless Odor stinging c)

d) Melting Melting point: ca.-32 °C point/freezing point

e) Initial boiling point and boiling range

121 °C at 1.013 hPa

Flammability (solid, f) gas)

No data available

Upper/lower g) flammability or explosive limits

No data available

Not applicable h) Flash point No data available i) Autoignition

Decomposition j) temperature

temperature

Distillable in an undecomposed state at normal pressure.

< 1 at 20 °C рΗ k)

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility at 20 °C soluble n) Partition coefficient: No data available

n-octanol/water

ca.9,4 hPa at 20 °C o) Vapor pressure 1,39 g/cm3 at 20 °C p) Density Relative density No data available

q) Relative vapor density

No data available

Particle characteristics No data available

Explosive properties Not classified as explosive.

Oxidizing properties The substance or mixture is classified as oxidizing with the category 3.

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

strong oxidising agent

Page7 of16 Fidar Shimi Ramand



10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

Risk of explosion with:

Acetone

acetonitrile

acetylidene

Alcohols

Dithallium trioxide

antimony hydride

arsenic hydride

Organic Substances

Benzene

phosphides

anilines

Amines

Halogenated hydrocarbon

Diethyl ether

dimethyl ether

hydrazines

Nitro compounds

Sulfides

Dioxane

acetic acid

Acetic anhydride

ethanol

Ethylene glycol

Fluorine

Formaldehyde

Rubber

oils

Hydrazine hydrate

Hydrocarbons

Copper

lithium silicide

organic solvents

Manganese

Cyanides

Powdered metals

Methanol

petrol

Sodium hydrosulfide

phosphorus hydrogen

anhydrides

Reducing agents

sulphur dioxide

Boranes

thiocyanates

Titanium

Toluene

Impurities

Fidar Shimi Ramand Page8 of 16



Nitric acid

hydrogen peroxide

Tin

sugars

xylene

dichloromethane

carbon/soot

potassium chlorate

with

Organic Substances

mercury(II) nitrate

with

ethanol

Organic Substances

with

sulfuric acid

Nitrobenzene

with

sulfuric acid

potassium permanganate

with

Alcohols

glycerol

with

sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with:

Amines

Ammonia

combustible substances

Aldehydes

furfuryl alcohol

hydrogen iodide

Potassium

Lithium

Magnesium

phosphides

sodium

hydrides

phosphorus

pyridine

hydrogen sulphide

3-BROMO-5-CHLORO-4-HYDROXYBENZALDEHYDE

Violent reactions possible with:

Nitriles

antimony

arsenic

Boron

ferric oxide

alkalines

sodium hypochlorite

formic acid

halogen-halogen compounds

Fidar Shimi Ramand Page9 of 16



Germanium
glycerol
nitrides
Sodium hydroxide solution
Sodium hydroxide
sulfuric acid
selenium
Bismuth
chlorates

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Cellulose, MetalsContact with metals may lead to the formation of nitrous gases and hydrogen.

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 4,08 mg/l - vapor(Calculation method)

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Fidar Shimi Ramand Page 10 of 16



Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Irritation and corrosion, Risk of blindness!, Cough, Shortness of breath

Irritation and corrosion

Cough

Shortness of breath Bloody vomiting

death

Risk of blindness!

strong pain (risk of perforation!)

tissue damage

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Components

nitric acid

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 2,65 mg/l - vapor

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Fidar Shimi Ramand Page 11 of 16



Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Fidar Shimi Ramand Page 12 of 16



12.7 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Does not cause biological oxygen deficit.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

No data available

Components

nitric acid

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2031 IMDG: 2031 IATA: 2031

14.2 UN proper shipping name

ADR/RID: NITRIC ACID IMDG: NITRIC ACID IATA: Nitric acid

Passenger Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 8 (5.1) IMDG: 8 (5.1) IATA: 8 (5.1)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

Fidar Shimi Ramand Page 13 of 16



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

H2

Authorisations and/or restrictions on use

Regulation (EU) 2019/1148 on the marketing : nitric acid and use of explosives precursors

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ACUTE TOXIC

P8 OXIDISING LIQUIDS AND SOLIDS

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

H272	May intensify fire; oxidizer.	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
EUH071	Corrosive to the respiratory tract.	

Fidar Shimi Ramand Page 14 of 16

