

# **SAFETY DATA SHEET**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Potassium iodate

Product Number : F211

Brand : Fidar Shimi CAS-No. : 7758-05-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Fidar Shimi Ramand

Website : www.FidarShimiRamand.com

Telephone : +98 2632504569

E-mail address : Fidarshimiramand@gmail.com

1.4 Emergency telephone

Emergency Phone # : 09376573387

09125829128

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Oxidizing solids, (Category 2) H272: May intensify fire; oxidizer.

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Fidar Shimi Ramand Page 1 of 15



#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Dange

Hazard Statements

H272 May intensify fire; oxidizer. H302 Harmful if swallowed.

H319 Causes serious eye irritation.

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements none
Precautionary Statements none
Supplemental Hazard none

Statements

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.


#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

Fidar Shimi Ramand Page 2 of 15







# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : KIO3
Molecular weight : 214 g/mol
CAS-No. : 7758-05-6
EC-No. : 231-831-9

Component		Classification	Concentration
Potassium iodate			
CAS-No. EC-No.	7758-05-6 231-831-9	Ox. Sol. 2; Acute Tox. 4; Eye Irrit. 2; H272, H302, H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fidar Shimi Ramand Page 4 of 15



# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Hydrogen iodide

Potassium oxides

Not combustible.

Fire may cause evolution of:

hydrogen iodide

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

# **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Do not store near combustible materials.

Fidar Shimi Ramand Page 5 of 15



Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

# 8.2 Exposure controls

**Personal protective equipment** 

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## **Body Protection**

protective clothing

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Fidar Shimi Ramand Page 6 of 15



Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state crystallineb) Color whitec) Odor odorless

d) Melting Melting point: 560 °C at 975 hPa point/freezing point

e) Initial boiling point Not applicable and boiling range

f) Flammability (solid, The product is not flammable. gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point does not flashi) Autoignition does not ignite temperature

j) Decomposition > 560 °C temperature

k) pH ca.6 at 50 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility 70 g/l at 25 °C

n) Partition coefficient: log Pow: -1 at 25 °C - Bioaccumulation is not expected. n-octanol/water

o) Vapor pressure No data available
 p) Density 3,98 g/cm3 at 20 °C
 Relative density No data available

Fidar Shimi Ramand Page 7 of 15



q) Relative vapor density

No data available

r) Particle characteristics

No data available

Fidar Shimi Ramand Page 8 of 15



s) Explosive properties No data available

t) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 2.

# 9.2 Other safety information

Bulk density ca.2.000 kg/m3

Dissociation constant 0,05

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Risk of explosion with:

oxidisable substances

combustible substances

Powdered metals

Sulfides

phosphorus

sulfur

Alkali metals

hydrides

Cyanides

arsenic

carbon/soot

Alkaline earth metals

powdered aluminium

metallic oxides

Isocyanates

Reducing agents

Exothermic reaction with:

Organic Substances

#### 10.4 Conditions to avoid

no information available

# 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

Fidar Shimi Ramand Page 9 of 15



## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## **Acute toxicity**

Acute toxicity estimate Oral - 500,1 mg/kg

(Expert judgment)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - In vitro study

Result: Irritating to eyes. - 2 - 12 h

# Respiratory or skin sensitization

Sensitisation possible in predisposed persons.

# **Germ cell mutagenicity**

Test Type: Ames test Result: negative Remarks: (Lit.)

Test Type: Mutagenicity (mammal cell test): micronucleus.

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test

Result: negative Remarks: (Lit.) Carcinogenicity No data available

#### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

Fidar Shimi Ramand Page 10 of 15



# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# 11.2 Additional Information

# **Endocrine disrupting properties**

# **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Nausea, Vomiting, Diarrhea, Rash

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Stomach/intestinal disorders collapse respiratory arrest Cyanosis

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - 14 mg/l - 21

invertebrates (Chronic (OECD Test Guideline 211)

toxicity)

Remarks: The value is given in analogy to the following substances:

sodium fluoride

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

No data available

**Fidar Shimi Ramand** Page 11 of 15



## 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

No data available

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1479 IMDG: 1479 IATA: 1479

14.2 UN proper shipping name

ADR/RID: OXIDIZING SOLID, N.O.S. (Potassium iodate) IMDG: OXIDIZING SOLID, N.O.S. (Potassium iodate) IATA: Oxidizing solid, n.o.s. (Potassium iodate)

14.3 Transport hazard class(es)

ADR/RID: 5.1 IMDG: 5.1 IATA: 5.1

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

Fidar Shimi Ramand Page 12 of 15



## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# **National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

OXIDISING LIQUIDS AND SOLIDS

## Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.

# Relevant changes since previous version

2. Hazards identification

Fidar Shimi Ramand Page 13 of 15



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Fidar Shimi Ramand Page 14 of 15



